

EDITORIALS

- Intraoperative hypotension is just the tip of the iceberg: a call for multimodal, individualised, contextualised management of intraoperative cardiovascular dynamics**
Z. Molnar, J. Benes and B. Saugel 419
- Another nail in the coffin of succinylcholine?**
M. Blobner and J. M. Hunter 423
- Sustainable quality and safety improvement in healthcare: further lessons from the aviation industry**
C. S. Webster, R. Henderson and A. F. Merry 425
- What can we learn from smart-pump infusion data analysis?**
R. S. Litman, S. O'Neill and J. W. Beard 430
- A call to action: evaluation of perioperative neurocognitive disorders in low- and middle-income countries**
L. Evered and B. Biccard 432

COVID-19 AND THE ANAESTHETIST: A SPECIAL SERIES

- Chronic pain after COVID-19: implications for rehabilitation**
H. I. Kemp, E. Corner and L. A. Colvin 436
- Prone positioning in COVID-19 acute respiratory failure: just do it?**
B. McNicholas, D. Cosgrave, C. Giacomini, A. Brennan and J. G. Laffey 440
- Beyond the operating room: the roles of anaesthesiologists in pandemics**
R. Ortega and R. Chen 444
- Cardiopulmonary exercise testing in the COVID-19 endemic phase**
M. A. Faghy, K. P. Sylvester, B. G. Cooper and J. H. Hull 447
- Impact of the COVID-19 pandemic on anaesthesia trainees and their training**
J. R. Sneyd, S. E. Mathoulin, E. P. O'Sullivan, V. C. So, F. R. Roberts, A. A. Paul, L. I. Cortinez, R. S. Ampofo, C. J. Miller and M. A. Balkisson 450

CARDIOVASCULAR

- Comorbidity-dependent changes in alpha and broadband electroencephalogram power during general anaesthesia for cardiac surgery**
H. A. Kaiser, T. Hirschi, C. Sleigh, D. Reineke, V. Hartwich, M. Stucki, C. Rummel, J. Sleigh and D. Hight 456

CLINICAL PRACTICE

- Forty years of neuromuscular monitoring and postoperative residual curarisation: a meta-analysis and evaluation of confidence in network meta-analysis**
H. Carvalho, M. Verdonck, W. Cools, L. Geerts, P. Forget and J. Poelaert 466
- Target-controlled-infusion models for remifentanyl dosing consistent with approved recommendations**
D. J. Eleveld, P. Colin, A. R. Absalom and M. M. R. F. Struys 483

NEUROSCIENCE AND NEUROANAESTHESIA

- Postoperative delirium: perioperative assessment, risk reduction, and management**
Z. Jin, J. Hu and D. Ma 492
- Tracheal intubation in traumatic brain injury: a multicentre prospective observational study**
B. Y. Gravestijn, C. A. Sewalt, D. Nieboer, D. K. Menon, A. Maas, F. Lecky, M. Klimek and H. F. Lingsma on behalf of the CENTER-TBI collaborators 505
- Alpha band frontal connectivity is a state-specific electroencephalographic correlate of unresponsiveness during exposure to dexmedetomidine and propofol**
R. E. Kallionpää, K. Valli, A. Scheinin, J. Långsjö, A. Maksimow, T. Vahlberg, A. Revonsuo, H. Scheinin, G. A. Mashour and D. Li 518

Resting-state functional connectivity in early postanaesthesia recovery is characterised by globally reduced anticorrelations	
<i>T. Nir, Y. Jacob, K.-H. Huang, A. E. Schwartz, J. W. Brallier, H. Ahn, P. Kundu, C. Y. Tang, B. N. Delman, P. J. McCormick, M. Sano, S. Deiner, M. G. Baxter and J. S. Mincer</i>	529
Effects of dobutamine and phenylephrine on cerebral perfusion in patients undergoing cerebral bypass surgery: a randomised crossover trial	
<i>A. Akkermans, J. A. R. van Waes, T. P. C. van Doormaal, E. E. C. de Waal, G. J. E. Rinkel, A. van der Zwan, C. J. Kalkman and W. A. van Klei</i>	539
Circadian differences in emergence from volatile anaesthesia in mice: involvement of the locus coeruleus noradrenergic system	
<i>D. Wang, Y. Huang, X. Wang, X. Chen, J. Li, S. Zhang, J. Wu, D. Liu, D. Ma and W. Mei</i>	548

OBSTETRIC ANAESTHESIA

Comparative analgesic efficacy and safety of intermittent local anaesthetic epidural bolus for labour: a systematic review and meta-analysis	
<i>N. Hussain, C. M. Lagnese, B. Hayes, N. Kumar, T. E. Weaver, M. K. Essandoh, J. Reno, R. H. Small and F. W. Abdallah</i>	560
Obstetric anaesthetic practice in the UK: a descriptive analysis of the National Obstetric Anaesthetic Database 2009–14	
<i>J. H. Bamber, D. N. Lucas, F. Plaat and R. Russell</i>	580
Norepinephrine or phenylephrine during spinal anaesthesia for Caesarean delivery: a randomised double-blind pragmatic non-inferiority study of neonatal outcome	
<i>W. D. Ngan Kee, S. W. Y. Lee, F. F. Ng and A. Lee</i>	588

PAIN

Antinociceptive, reinforcing, and pruritic effects of the G-protein signalling-biased mu opioid receptor agonist PZM21 in non-human primates	
<i>H. Ding, N. Kiguchi, D. A. Perrey, T. Nguyen, P. W. Czoty, F.-C. Hsu, Y. Zhang and M.-C. Ko</i>	596

QUALITY AND PATIENT SAFETY

Association of intraoperative anaesthesia handovers with patient morbidity and mortality: a systematic review and meta-analysis	
<i>S. Boet, H. Djokhdem, S. A. Leir, I. Théberge, F. Mansour and N. Etherington</i>	605
Validation and clinical utility of the Korean version of the Quality of Recovery-15 with enhanced recovery after surgery: a prospective observational cohort study	
<i>S. Yoon, H. Joo, Y. M. Oh, J. Lee, J.-H. Bahk and H.-J. Lee</i>	614
Minimising haemodynamic lability during changeover of syringes infusing norepinephrine in adult critical care patients: a multicentre randomised controlled trial	
<i>L. Poiroux, C. Le Roy, A.-S. Ramelet, M. Le Brazic, L. Messenger, A. Gressent, Y. Alcourt, C. Haubertin, J.-F. Hamel, L. Piquilloud and A. Mercat</i>	622

RESPIRATION AND THE AIRWAY

 Succinylcholine and postoperative pulmonary complications: a retrospective cohort study using registry data from two hospital networks	
<i>M. S. Schaefer, M. Hammer, P. Santer, S. D. Grabitz, M. Patrocinio, F. C. Althoff, T. T. Houle, M. Eikermann and P. Kienbaum</i>	629

CORRESPONDENCE

Understanding the limitations of incident reporting in medication errors	
<i>K. Catchpole, J. Abernathy III, D. Neyens and K. Sutcliffe</i>	e343
Validation of an alternative French version of the Quality of Recovery-15 Score: the FQoR-15	
<i>M. Léger, M. Campfort, C. Cayla, E. Parot-Schinkel, S. Lasocki and E. Rineau</i>	e345
Time for anaesthetists to take back control of the preoperative fasting message. Comment on <i>Br J Anaesth</i> 2020; 124: 361–3	
<i>D. Rowe</i>	e347
Is difficult or failed intubation a confounder or an effect modifier for hypoxaemia? Comment on <i>Br J Anaesth</i>; 125: e81–7	
<i>A. Subedi</i>	e348
Not another requiem for succinylcholine. Comment on <i>Br J Anaesth</i> 2020; 125: 423–5	
<i>A. F. Kopman and S. J. Brull</i>	e349

Potential by sevoflurane of rocuronium-induced neuromuscular block is greater in older than younger adult patients: a randomised controlled trial <i>S. Takagi, O. Kitajima, M. Yamamoto, M. Matsui and T. Suzuki</i>	e351
Perioperative vasoactive drugs in patients undergoing major abdominal surgery. Comment on <i>Br J Anaesth</i> 2020; 124: 513–24 <i>H. Yonekura</i>	e353
Perioperative use of vasoactive drugs on postoperative outcomes after major abdominal surgery. Response to <i>Br J Anaesth</i> 2020; 125: e353–4 <i>C. Deng and P. S. Myles</i>	e354
Impact of neuraxial anaesthesia on short-term outcomes after elective open abdominal aortic aneurysm repair. Comment on <i>Br J Anaesth</i> 2020; 124: 544–52 <i>Y. Okazawa and H. Yonekura</i>	e355
Importance of peripheral vascular disease and clamp site in elective open abdominal aneurysm repair. Comment on <i>Br J Anaesth</i> 2020; 124: 544–552 <i>L. Dias, J. Smout and M. Safar</i>	e356
Sphenopalatine ganglion block for the treatment of postdural puncture headache. Reply to <i>Br J Anaesth</i> 2020; 124: 739–47 <i>M. S. Jespersen, P. Jaeger and C. S. Meyhoff</i>	e358
Sphenopalatine ganglion block for the treatment of postdural puncture headache. Comment on <i>Br J Anaesth</i> 2020 124: 739–47 <i>C. W. Liu and H. Lim</i>	e359

COVID-19 CORRESPONDENCE

Personal protective equipment, airway management, and systematic reviews. Comment on <i>Br J Anaesth</i> 2020; 125: e301–5 <i>M. Sorbello, K. El-Boghdady, J. Schumacher and I. Ahmad</i>	e360
Use of HEPA filters to reduce the risk of nosocomial spread of SARS-CoV-2 via operating theatre ventilation systems <i>S. Yeo, I. Hosein and L. McGregor-Davies</i>	e361
Use of a high-flow extractor to reduce aerosol exposure in tracheal intubation <i>C. Matava, V. Collard, J. Siegel, S. Denning, T. Li, B. Du, J. Fiadjoe, P. Fiset, T. Engelhardt and CLEARANCE Group</i>	e363
Regulating inspiratory pressure to individualise tidal volumes in a simulated two-patient, one-ventilator system <i>G. H. Chen, S. Hellman, T. Irie, R. J. Downey and G. W. Fischer</i>	e366
Noninvasive ventilation for COVID-19-associated acute hypoxaemic respiratory failure: experience from a single centre <i>A. A. Sivaloganathan, M. Nasim-Mohi, M. M. Brown, N. Abdul, A. Jackson, S. V. Fletcher, S. Gupta, M. P. W. Grocott and A. Dushianthan on behalf of the University Hospital Southampton Critical Care and Respiratory Medicine Teams and the REACT investigators, UHS Critical Care Clinical Team, UHS Respiratory Clinical Team, REACT Investigators</i>	e368
Interdependence between elevated intra-abdominal, pleural, and airway opening pressure in severe acute respiratory distress syndrome with extracorporeal membrane oxygenation <i>T. Mauri, E. Spinelli, A. Caccioppola, I. Marongiu, S. M. Colombo, C. Abbruzzese, A. Lissoni, P. Tagliabue, G. Grasselli and A. Pesenti</i>	e371
Opening Pandora's box: surgical tracheostomy in mechanically ventilated COVID-19 patients <i>Y. El-Wajeh, I. Varley, A. Raithatha, A. Glossop, A. Smith and R. Mohammed-Ali</i>	e373
Body mass index and acute respiratory distress severity in patients with and without SARS-CoV-2 infection <i>D. Chiumello, T. Pozzi, E. Storti, A. Caccioppola, A. E. Pontiroli and S. Coppola</i>	e376
Impact of sex and age on respiratory support and length of hospital stay among 1792 patients with COVID-19 in Wuhan, China <i>H. Zheng, J. Tan, X. Zhang, A. Luo, L. Wang, W. Zhu, H. L. Hébert, W. Meng, B. H. Smith, L. A. Colvin and J. Hu</i>	e378
Hazardous mismatch between pulmonary pathogens and antibiotic treatments in COVID-19 patients <i>S. Coppola, A. Ciabattini, T. Pozzi, V. Castagna, G. L. Bassi and D. Chiumello</i>	e380
Opioids and the COVID-19 pandemic: does chronic opioid use or misuse increase clinical vulnerability? <i>D. G. Lambert</i>	e382
Psychological distress during the COVID-19 pandemic amongst anaesthesiologists and nurses <i>M. C. C. Lee, S. Thampi, H. P. Chan, D. Khoo, B. Z. B. Chin, D. P. X. Foo, C. B. Lua, B. Lewin and R. Jacob</i>	e384

Trial under fire: one New York City anaesthesiology residency programme's redesign for the COVID-19 surge	
<i>R. Jotwani, C. A. Cheung, M. M. Hoyle, J. Y. Lin, M. D. Perlstein, J. E. Rubin, J. M. Chan, K. O. Pryor and E. D. Brumberger</i>	e386
A training programme on basic mechanical ventilation for novel trainees during the COVID-19 outbreak	
<i>Y. Sela, C. F. Weiniger, M. Arnon, O. B. Kassif, I. B. Sinai, S. Shalev, Y. Lichter, O. Barak, I. Matot, H. Matzkin, N. Pur-Eisenberg and T. Capua</i>	e389
A novel role for lidocaine in COVID-19 patients?	
<i>D. T. Finnerty and D. J. Buggy</i>	e391

BOOK REVIEW

Miller's Anesthesia, 9th edn	
<i>J. G. Bilmen</i>	637

Articles highlighted in blue are Editor's Choice articles. Editor's Choices are free online.

 Indicates articles accompanied by an editorial.