



## TABLE OF CONTENTS

### Continuing Medical Education

- 983  Technological advances for the detection of melanoma  
Advances in diagnostic techniques  
*Lauren Fried, BS, Andrea Tan, MD, Shirin Bajaj, MD, Tracey N. Liebman, MD, David Polsky, MD, PhD, and Jennifer A. Stein, MD, PhD*
- 993 Answers to CME examination (Identification No. JA1020),  
October 2020 issue of the *Journal of the American Academy of Dermatology*
- 994 **CME examination**
- 996  Technological advances for the detection of melanoma  
Advances in molecular techniques  
*Lauren Fried, BS, Andrea Tan, MD, Shirin Bajaj, MD, Tracey N. Liebman, MD, David Polsky, MD, PhD, and Jennifer A. Stein, MD, PhD*
- 1005 Answers to CME examination (Identification No. JB1020),  
October 2020 issue of the *Journal of the American Academy of Dermatology*
- 1006 **CME examination**

### Letter from the Editors

- 1007 Case reports and anecdotal evidence  
*Dirk M. Elston, MD, and Brett Sloan, MD*

### A Clinician's Perspective

- 1008 Spironolactone and breast cancer: Fear not!  
*Warren R. Heymann, MD*

### From the Dermatology Foundation

- 1010 Pili trianguli et canaliculi as a phenotypic subtype in patients with central centrifugal cicatricial alopecia: A scanning electron microscopy study  
*Erinolaoluwa F. Araoye, BS, Jamael A. L. Thomas, MPH, LaToya Ann Roker, PhD, Ncoza C. Dlova, MBChB, FCDerm, PhD, and Crystal Aguh, MD*

Original Articles

- 1012** Shorter survival and later stage at diagnosis among unmarried patients with cutaneous melanoma: A US national and tertiary care center study  
 Bottom line: Unmarried patients, especially men younger than 68 years, could benefit from closer screening and follow-up than their married counterparts.  
*Saleh Rachidi, MD, PhD, Zhengyi Deng, MS, Danielle Y. Sullivan, BS, and Evan J. Lipson, MD*
- 1021** Spironolactone use does not increase the risk of female breast cancer recurrence: A retrospective analysis  
 Bottom line: Spironolactone may be a viable treatment option for alopecia in women who are under breast cancer remission and is not associated with an increased risk for breast cancer recurrence.  
*Chapman Wei, BS, Patawut Bovonratwet, MD, Alex Gu, BS, Gaby Moawad, MD, Jonathan I. Silverberg, MD, PhD, MPH, and Adam J. Friedman, MD*
- 1028** A retrospective cohort study of the diagnostic value of different subtypes of atypical pigment network on dermoscopy  
 Bottom line: Loss of network, thickened brown lines, and branched streaks had positive predictive values less than 20% for melanoma. Shiny white streaks and inverse network in a melanocytic lesion are most predictive for melanoma or severe atypias.  
*Katherine Shi, BS, Daniel Kim, BS, Lauren S. Mohan, MSc, Erin M. Garfield, MD, Victor L. Quan, MD, Bin Zhang, MS, Elnaz Panah, MD, Elsy V. Compres, BA, Ayesha U. Khan, MBA, and Pedram Gerami, MD*
- 1035** The role of reflectance confocal microscopy in differentiating melanoma in situ from dysplastic nevi with severe atypia: A cross-sectional study  
 Bottom line: Confocal finding of epidermal round or dendritic cells, particularly when diffuse, favors a diagnosis of melanoma in situ over dysplastic nevus with severe atypia.  
*Naiara Fraga-Braghiroli, MD, Jane M. Grant-Kels, MD, Margaret Oliviero, ARNP, Harold Rabinovitz, MD, Katalin Ferenczi, MD, and Alon Scope, MD*
- 1044** The infection rate of intralesional triamcinolone and the safety of compounding in dermatology for intradermal and subcutaneous injection: A retrospective medical record review  
 Bottom line: Intralesional, in-office compounded triamcinolone injections were found to have an infection rate of 0.25%, with most of these occurring after injections of "inflamed cysts," with no subsequent hospitalizations or deaths.  
*Chelsea A. Luther, MD, James L. Griffith, MD, Elena Kurland, MD, Reem Al Shabeeb, BS, Misty Eleryan, MD, Kelley Redbord, MD, and David M. Ozog, MD*

- 1049**      Height, nevus count, and risk of cutaneous malignant melanoma: Results from 2 large cohorts of US women  
 Bottom line: In 2 large prospective cohorts of US women, height was positively associated with both nevus count and risk of melanoma. Nevus count explains approximately 8% to 10% of excess melanoma risk associated with a 10-cm increase in height.  
*Xin Li, ScD, Peter Kraft, PhD, Immaculata De Vivo, PhD, Edward Giovannucci, MD, ScD, Liming Liang, PhD, and Hongmei Nan, MD, PhD*
- 1057**      Improvement of diagnostic confidence and management of equivocal skin lesions by integration of reflectance confocal microscopy in daily practice: Prospective study in 2 referral skin cancer centers  
 Bottom line: Reflectance confocal microscopy evaluation of 272 dermoscopically equivocal lesions increased malignant tumor detection with higher diagnostic confidence and led to a management change in 33.5% of cases.  
*Oriol Yélamos, MD, Elena Manubens, MD, Manu Jain, MD, Marion Chavez-Bourgeois, MD, Sri V. Pulijal, MD, Stephen W. Dusza, DrPH, Michael A. Marchetti, MD, Alicia Barreiro, MD, Maria L. Marino, MD, Josep Malvehy, MD, PhD, Miguel A. Cordova, MD, Anthony M. Rossi, MD, Milind Rajadhyaksha, PhD, Allan C. Halpern, MD, MSc, Susana Puig, MD, PhD, Ashfaq A. Marghoob, MD, and Cristina Carrera, MD, PhD*
- 1064**      Racial characteristics of alopecia areata in the United States  
 Bottom line: Physicians should be aware of possible racial disparities in alopecia areata. Screening or diagnostic approaches may need to be adjusted for high-risk racial groups.  
*Hemin Lee, MD, MPH, Sun Jae Jung, MD, PhD, Anisha B. Patel, MD, Jordan M. Thompson, MD, Abrar Qureshi, MD, MPH, and Eunyong Cho, ScD*
- 1071**      Male sex and Breslow thickness are important risk factors for recurrence of localized melanoma in Korean populations  
 Bottom line: In localized cutaneous melanoma, male sex and Breslow thickness were the most important prognostic factors for recurrence in our Korean patient population.  
*Yeongjoo Oh, MD, Sooyie Choi, MD, Mi Yeon Cho, MD, Kyoung Ae Nam, RN, MSN WOCN, Sang Joon Shin, MD, PhD, Jee Suk Chang, MD, PhD, Byung Ho Oh, MD, PhD, Mi Ryung Roh, MD, PhD, and Kee Yang Chung, MD, PhD*
- 1080**      Clinical and dermoscopic characteristics of congenital and noncongenital nevus-associated melanomas  
 Bottom line: Knowledge of age-related context and characteristic clinical and dermoscopic features facilitates the early recognition of congenital and noncongenital nevus-associated melanoma.  
*Iris Zalaudek, MD, Claudio Conforti, MD, Fabrizio Guarneri, MD, Roberta Vezzoni, MD, Teresa Deinlein, MD, Rainer Hofmann-Wellenhof, MD, Caterina Longo, MD, PhD, Elvira Moscarella, MD, Harald Kittler, MD, Giuseppe Argenziano, MD, PhD, and Roberta Giuffrida, MD, PhD*

- 1088** Use of beta-blockers for rosacea-associated facial erythema and flushing: A systematic review and update on proposed mode of action  
 Bottom line: Nonselective beta-blockers seem promising in treating erythema and flushing in rosacea that does not respond to conventional therapy, with most evidence available for carvedilol and propranolol.  
*Jade G. M. Logger, MD, Jill I. Olydam, MD, and Rieke J. B. Driessen, MD, PhD*
- 1098** Racial and ethnic disparities in melanoma awareness: A cross-sectional survey  
 Bottom line: Individuals of ethnic minorities may benefit from tailored educational programs geared toward early detection.  
*Daniela P. Sanchez, BS, Mayra B. C. Maymone, MD, DSc, Emily O. McLean, MD, Kevin F. Kennedy, MS, Debjani Sahni, MD, Eric A. Secemsky, MD, and Neelam A. Vashi, MD*
- 1104** Clinical outcomes and adherence to topical corticosteroid therapy in women with vulvar lichen sclerosus: A retrospective cohort study  
 Bottom line: Providers should routinely counsel patients about therapy adherence and assess quality of life, including sexual activity.  
*Jaden R. Kohn, MD, MPH, Trissa M. Connors, MD, MPH, Warren Chan, BS, MS, Cynthia S. Liang, BS, Harry Dao, Jr, MD, and Anuja Vyas, MD*
- 1110** Forehead location and large segmental pattern of facial port-wine stains predict risk of Sturge-Weber syndrome  
 Bottom line: Large segmental forehead involvement by a port-wine stain is more specific for Sturge-Weber syndrome than forehead involvement in general. Children without such involvement may require less aggressive evaluation for neurologic disease.  
*Markus D. Boos, MD, PhD, Xiuhua L. Bozarth, MD, PhD, Robert Sidbury, MD, MPH, Andrew B. Cooper, PhD, Francisco Perez, MD, PhD, Connie Chon, BA, BS, Gabrielle Paras, BS, and Catherine Amlie-Lefond, MD*
- 1118** The spectrum of COVID-19–associated dermatologic manifestations: An international registry of 716 patients from 31 countries  
 Bottom line: Pernio-like lesions were noted in mild disease, whereas retiform purpura was seen exclusively in critically ill patients.  
*Esther E. Freeman, MD, PhD, Devon E. McMahon, BA, Jules B. Lipoff, MD, Misha Rosenbach, MD, Carrie Kovarik, MD, Seemal R. Desai, MD, Joanna Harp, MD, Junko Takeshita, MD, PhD, MSCE, Lars E. French, MD, Henry W. Lim, MD, Bruce H. Thiers, MD, George J. Hruza, MD, MBA, and Lindy P. Fox, MD*

<b>Dermatopathology</b>	<b>1130</b>	<p><b>Dermatologic toxicities to immune checkpoint inhibitor therapy: A review of histopathologic features</b></p> <p>Bottom line: Recognizing the various cutaneous reactions to immune checkpoint blockade and their associated histopathologic findings is imperative for accurate diagnosis and appropriate patient care.</p> <p><i>Samantha R. Ellis, MD, Aren T. Vierra, MD, Jillian W. Millsop, MD, Mario E. Lacouture, MD, and Maija Kiuru, MD, PhD</i></p>
<b>Reviews</b>	<b>1144</b>	<p><b>Nanoparticles in dermatologic surgery</b></p> <p>Bottom line: Current research shows the potential of nanoparticles in influencing treatments for melanoma and keratinocyte carcinoma as well as the development of novel surgical materials.</p> <p><i>Peter W. Hashim, MD, MHS, John K. Nia, MD, George Han, MD, PhD, and Desiree Ratner, MD</i></p>
	<b>1150</b>	<p><b>Navigating immunosuppression in a pandemic: A guide for the dermatologist from the COVID Task Force of the Medical Dermatology Society and Society of Dermatology Hospitalists</b></p> <p>Bottom line: The goal is to facilitate management of immunosuppressive drugs and minimize potential for harm in this patient population.</p> <p><i>Omid Zahedi Niaki, MD, Milan J. Anadkat, MD, Steven T. Chen, MD, MPH, MS-HPed, Lindy P. Fox, MD, Joanna Harp, MD, Robert G. Micheletti, MD, Vinod E. Nambudiri, MD MBA, Helena B. Pasiaka, MD MS, Michi M. Shinohara, MD, Misha Rosenbach, MD, and Joseph F. Merola, MD, MMSc</i></p>
<b>Research Letters</b>	<b>1160</b>	<p><b>Dermoscopy features of melanomas with a diameter up to 5 mm (micromelanomas): A retrospective study</b></p> <p><i>Aphrodite Megaris, BS, Aimilios Lallas, MD, MSc, PhD, Leonardo Peruilh Bagolini, MD, George Balais, MD, Ruben González Cuevas, MD, Konstantinos Lallas, MD, Theodosia Gkentsidi, MD, Sofia-Magdalini Manoli, MD, Chryssoula Papageorgiou, MD, Ioannis Spyridis, MD, and Zoe Apalla, MD, PhD</i></p>
	<b>1161</b>	<p><b>Re-evaluating the ABCD criteria using a consecutive series of melanomas</b></p> <p><i>Rebecca Liu, BS, Melissa Pugliano-Mauro, MD, Timothy Patton, DO, Li Wang, MS, Nalyn Siripong, PhD, and Laura K. Ferris, MD, PhD</i></p>
	<b>1163</b>	<p><b>Efficacy of staged excision with permanent section margin control for melanoma in situ</b></p> <p><i>H. Harris Reynolds, MD, Eugen Stancut, MD, Peter G. Pavlidakey, MD, Conway C. Huang, MD, and C. Blake Phillips, MD</i></p>
	<b>1164</b>	<p><b>Use of a dermatology-specific discharge form to improve outpatient follow-up after inpatient dermatology consultation</b></p> <p><i>Alyssa Miceli, DO, and Karthik Krishnamurthy, DO</i></p>

- 1166** Outcome and clinicophenotypical features of acute lymphoblastic leukemia/lymphoblastic lymphoma with cutaneous involvement: A multicenter case series  
*Christophe Bontoux, MD, Adèle De Masson, MD, PhD, Olivia Boccara, MD, Christine Bodemer, MD, PhD, Sylvie Fraitag, MD, Brigitte Balme, MD, Nathalie Franck, MD, Agnès Carlotti, MD, François Comoz, MD, Laurence Verneuil, MD, PhD, Jean-François Brasme, MD, Mylène Duplan, MD, Anne Croué, MD, Isabelle Templier, MD, Helmut Beltraminelli, MD, Olivier Dereure, MD, PhD, Vanessa Szablewski, MD, Céline Thevenin, MD, Serge Boulinguez, MD, Roland Viraben, MD, Emilie Tournier, MD, Laurence Lamant, MD, PhD, Nicolas Ortonne, MD, PhD, Saskia Ingen-Housz-Oro, MD, Florence Beckerich, MD, Florent Grange, MD, PhD, Anne Durlach, MD, Florent Amatore, MD, Eric Frouin, MD, Elizabeth McIntyre, MD, PhD, Vahid Asnafi, MD, PhD, Rathana Kim, MD, Emmanuelle Clappier, MD, PhD, Jean Soulier, MD, PhD, Nicolas Boissel, MD, PhD, Hervé Dombret, MD, PhD, Martine Bagot, MD, PhD, and Maxime Battistella, MD, PhD, for the Groupe Français d'Etude des Lymphomes Cutanés (GFELC)*
- 1170** Ethnicity impact on skin cancer knowledge and quality of life in patients with skin cancer: A survey-based study of white Hispanics and white non-Hispanics  
*Ali Rajabi-Estarabadi, MD, Natalie M. Williams, BS, Darren C. Tsang, BS, Isabella Camacho, BS, Sofia Iglesia, BS, Caiwei Zheng, BS, Christina D. Kursewicz, BS, Ariel Eber, MD, Jennifer Tang, MD, Robert S. Kirsner, MD, PhD, and Keyvan Nouri, MD*
- 1172** The bandwagon effect increases acne treatment willingness in teenagers  
*Jeremy K. Bray, BA, E. J. Masicampo, PhD, and Steven R. Feldman, MD, PhD*
- 1174** Mucocutaneous adverse effects of the genital and perianal skin from isotretinoin therapy  
*Louise Cunningham, MB BCh BAO, Stephanie Menzies, MB BCh BAO, Edward Moore, BA, Emma Shudell, MB BCh BAO, Fergal J. Moloney, MD, and Nicola Ralph, MB BCh BAO*
- 1175** Instagram for dermatology education  
*Jared Y. Chen, Jerad M. Gardner, MD, Suephy C. Chen, MD, and Josette R. McMichael, MD*
- 1176** Efficacy and safety of microneedling and oral tranexamic acid in the treatment of facial melasma in women: An open, evaluator-blinded, randomized clinical trial  
*Daniel Cassiano, MD, Ana Cláudia Cavalcante Esposito, MD, MSc, Karime Hassun, MD, MSc, Ediléia Bagatin, MD, PhD, Mariana Modesto D. A. Lima, MD, Emerson V. A. Lima, MD, PhD, Luciane Donida Bartoli Miot, MD, PhD, and Hélio Amante Miot, MD, PhD*

- 1178** Dermatologist burnout: Contribution of gender and impact of children  
*Olivia R. Ware, BA, Tyler D. Coolman, MPH, and Michi M. Shinohara, MD*
- 1181** Enhancing the process for care delivery in a dermatology specialty clinic  
*Gil S. Weintraub, MD, Katherine A. Su, MD, Shadmehr Demehri, MD, PhD, and Maryam M. Asgari, MD, MPH*
- 1184** Antibiotic utilization in Medicare beneficiaries receiving Mohs micrographic surgery  
*Partik Singh, MD, MBA, Arash Mostaghimi, MD, MPA, MPH, and John S. Barbieri, MD, MBA*
- 1186** Palm reading and water divining: A cross-sectional study of the accuracy of palmar hyperlinearity and transepidermal water loss to identify individuals with a filaggrin gene null mutation  
*Adrian John Lowe, PhD, Bambi Lee, MBBS, David Orchard, FACD, Emma King, MNP, Michael J. Abramson, PhD, Katrina J. Allen, PhD, Jennie Hui, PhD, Melissa C. Southey, PhD, Caroline J. Lodge, PhD, and Shyamali C. Dharmage, PhD*
- 1188** Characteristics of postinflammatory hyper- and hypopigmentation in patients with psoriasis: A survey study  
*Séverine Amico, MD, Thomas Barnetche, PhD, Laure Dequidt, MD, Antoine Fauconneau, MD, Emilie Gérard, MD, Lucile Boursault, MD, Katia Boniface, PhD, Anne-Sophie Darrigade, MD, and Julien Seneschal, MD, PhD, on behalf of FHU ACRONIM (Fédération Hospitalo-Universitaire Aquitaine's Care and Research Organisation for Inflammatory and Immune-Mediated Diseases)*
- 1191** Temporal trends in primary and secondary skin cancer prevention in the United States  
*Nicole L. Bolick, MPH, MS, Linglin Huang, MS, Arash Mostaghimi, MD, MPH, and Rebecca I. Hartman, MD, MPH*
- 1192** Metric selection by dermatologists in the 2017 Merit-Based Incentive Payment System  
*Christian Gronbeck, BA, Paula W. Feng, MD, and Hao Feng, MD, MHS*
- 1196** Economic assessment of the 2020 site-neutral payment reform for dermatologists  
*Christian Gronbeck, BA, Paula W. Feng, MD, and Hao Feng, MD, MHS*
- 1198** Psoriasis improvement and satisfaction in patients using a clobetasol spray and oral apremilast combination regimen: A pilot study  
*Chapman Wei, BS, Adam J. Friedman, MD, and Ronald B. Prussick, MD, FRCPC*


- 1200** Tanning bed use and depression in a preventive medicine cohort: The Cooper Center Longitudinal Study  
*Katie Kinser, Carolyn E. Barlow, PhD, David Leonard, PhD, Stephen W. Farrell, PhD, Andjelka Pavlovic, PhD, Helen G. Kaporis, DO, E. Sherwood Brown, MD, PhD, Benjamin L. Willis, MD, MPH, and Laura F. DeFina, MD*
- 1202** Characteristics of malpractice lawsuits involving nail disorders in the United States from 1977 to 2019  
*Laura Xiang, BA, and Shari R. Lipner, MD, PhD*
- 1204** The current landscape of dermatology podcasts: A descriptive analysis  
*Lisa N. Guo, BS, and Vinod E. Nambudiri, MD, MBA*
- 1210** A comparative study of dermoscopic features and monitoring of congenital and acquired nevi of the nail apparatus in pediatric patients  
*Flavia Carolina Pozzobon, MD, MSc, Alvaro Enrique Acosta, MD, Cesar Merlano, MD, Mariela Tavera, MD, Clara Ordoñez, MD, and Evelyne Halpert, MD*
- 1212** Treatment discontinuation and rate of disease transmission in psoriasis patients receiving biologic therapy during the COVID-19 pandemic: A Canadian multicenter retrospective study  
*Jorge R. Georgakopoulos, MD, Asfandyar Mufti, MD, Ron Vender, MD, FRCPC, and Jensen Yeung, MD, FRCPC*
- 1214** Applying to dermatology residency during the COVID-19 pandemic  
*Donovan G. Kearns, BA, Vipawee S. Chat, BS, Shelley Uppal, MD, and Jashin J. Wu, MD*
- 1215** Risk of COVID-19 in dermatologic patients receiving long-term immunomodulatory therapy  
*Zachary E. Holcomb, MD, Monica Rosales Santillan, MD, Peyton C. Morss-Walton, BA, Prerna Salian, MPH, Min Ji Her, PharmD, Nicole M. Giannotti, Alexa B. Kimball, MD, MPH, and Martina L. Porter, MD*
- 1218** The presence and distribution of novel coronavirus in a medical environment  
*Qianli Jiang, MD, Yinghua Chen, PhD, Yingchun Dai, PhD, Shaoxi Cai, MD, and Guodong Hu, MD*



- 1219**      **New insights in COVID-19—associated chilblains: A comparative study with chilblain lupus erythematosus**  
*Gilles Battesti, MD, Jihane El Khalifa, MD, Nour Abdelhedi, MD, Valentine Ferre, PharmD, Fabrice Bouscarat, MD, Catherine Picard-Dahan, MD, Florence Brunet-Possenti, MD, Gilles Collin, Justine Lavaud, MD, Patrick Le Bozec, MD, Marion Rousselot, MD, Amélie Tournier, MD, Coralie Lheure, MD, Anne Couvelard, MD, PhD, Salima Hacein-Bey-Abina, PharmD, PhD, Amine M. Abina, MD, PhD, Charlotte Charpentier, PharmD, PhD, Sabine Mignot, PharmD, PhD, Pascale Nicaise, PharmD, PhD, Diane Descamps, MD, PhD, Lydia Deschamps, MD, and Vincent Descamps, MD, PhD*
- 1222**      **Multidisciplinary care of epidermolysis bullosa during the COVID-19 pandemic—Consensus: Recommendations by an international panel of experts**  
*Dedee F. Murrell, BMBCh, MD, FRCP, Anne W. Lucky, MD, Julio C. Salas-Alanis, MD, PhD, David T. Woodley, MD, Francis Palisson, MD, Ken Natsuga, MD, PhD, Milos Nikolic, MD, PhD, Mae Ramirez-Quizon, MD, Amy S. Paller, MD, Irene Lara-Corrales, MD, FRCPC, Mohammadreza Amir Barzegar, MD, Eli Sprecher, MD, PhD, Cristina Has, MD, PhD, Martin Laimer, MD, MSc, Anna L. Bruckner, MD, MSCS, Asli Bilgic, MD, Arti Nanda, MD, Diana Purvis, MD, Alain Hovnanian, MD, PhD, Slobodna Murat-Sušić, MD, PhD, Johannes Bauer, MD, Johannes S. Kern, MD, PhD, FACD, Christine Bodemer, MD, PhD, Linda K. Martin, FACD, Jemima Mellerio, BSc, MD, FRCP, Cezary Kowaleski, MD PhD, Susan J. Robertson, FACD, Leena Bruckner-Tuderman, MD, Elena Pope, MSc, FRCPC, M. Peter Marinkovich, MD, Jean Y. Tang, MD, PhD, John Su, FACD, FRACP, MCRIFRCPC, Jouni Uitto, MD, PhD, Lawrence F. Eichenfield, MD, Joyce Teng, MD, PhD, Mark Jean Aan Koh, MD, Sang Eun Lee, MD, PhD, Phuong Khuu, MD, Heather I. Rishel, MD, PhD, Mette Sommerlund, MD, PhD, Karen Wiss, MD, Chao-Kai Hsu, MD, PhD, Tor Wo Chiu, BMBCh, FRCS, FCSHK, FHKAM, and Anna E. Martinez, FRCPC*
- 1224**      **Fighting COVID-19: Early teledermatology lessons learned**  
*Jean S. McGee, MD, PhD, Rachel V. Reynolds, MD, and Suzanne M. Olbricht, MD*

**Commentary**

- 1226**      **Advances in skin science enable the development of a COVID-19 vaccine**  
*Louis D. Falot, Jr, MD, PhD*





<b>Health Policy &amp; Practice</b>	<b>1228</b>	<p>Guiding principles for prioritization of limited in-person dermatology appointments during the COVID-19 pandemic  <i>Benjamin K. Stoff, MD, MAB, Travis W. Blalock, MD, Robert A. Swerlick, MD, Jamie B. MacKelfresh, MD, Leslie P. Lawley, MD, and Suephy C. Chen, MD, MS</i></p>
<hr/>		
<b>Ethics Journal Club</b>	<b>1231</b>	<p>Approach to VIPs during the COVID-19 pandemic and beyond  <i>Ha Eun Kong, PhD, and Benjamin K. Stoff, MD, MAB</i></p>
<hr/>		
<b>Beyond JAAD</b>	<b>1233</b>	<p>Beyond JAAD October 2020: Articles of interest to dermatologists from the nondermatologic literature  <i>Andrew Bronin, MD, Robert Phelps, MD, and Robert Sidbury, MD</i></p>
<hr/>		
<b>Corrections</b>	<b>1237</b>	<p>Hu JZ, Billings SD, Yan D, Fernandez AP. Histologic comparison of tumor necrosis factor-<math>\alpha</math> inhibitor–induced psoriasis and psoriasis vulgaris. <i>J Am Acad Dermatol.</i> 2020 Jul;83(1):71-77.</p>
	<b>1237</b>	<p>Yan L, Sun L, Guan Z, et al. Analysis of cutaneous Merkel cell carcinoma outcomes after different surgical interventions. <i>J Am Acad Dermatol.</i> 2020;82(6):1422-1434.</p>
<hr/>		
<b>JAAD ONLINE</b>	<b>Available at <a href="http://www.jaad.org">http://www.jaad.org</a></b>	
<b>Clinical Pearl</b>	<b>e275</b>	<p>Use of gloves when applying topical glycopyrronium for treatment of primary axillary hyperhidrosis  <i>Spyros M. Siscos, MD, Karen Figenshau, BA, and Anand Rajpara, MD</i></p>
<hr/>		
<b>Therapeutic Pearl</b>	<b>e277</b>	<p>Ultrasound-guided median and ulnar nerve blocks in the forearm to facilitate onabotulinum toxin A injection for palmar hyperhidrosis  <i>Arun Kalava, MD, FASA, EDRA, and Briana C. Colon, BS</i></p>
<hr/>		
<b>Surgical Pearls</b>	<b>e279</b>	<p>Purse-string suture for ear lobule reconstruction: A novel solution  <i>Allison Rogers Paine, MD, Elizabeth M. Billingsley, MD, and Charlene Lam, MD, MPH</i></p>
	<b>e281</b>	<p> High-precision freezing in cryotherapy by using customized and predesigned templates  <i>Neha Taneja, MD, Sanjeev Gupta, MD, and Somesh Gupta, MD</i></p>

<b>Technology Pearls</b>	<b>e283</b>	365-nm narrowband Wood's lamp for vitiligo and hypopigmentation disorders <i>Jung Min Bae, MD, PhD, and Ro Woo Lee, MD</i>
	<b>e285</b>	Cling film for mobile phones to prevent cross-infection during the COVID-19 pandemic <i>Mitanjali Sethy, MD, Vamshi Krishna, MBBS, and Chakravarthi R. Srinivas, MD</i>
<hr style="border-top: 1px dotted #0070C0;"/>		
<b>Notes &amp; Comments</b>	<b>e289</b>	Comment on "PGA×BSA composite versus PASI: Comparison across disease severities and as therapeutic response measure for Cal/BD foam in plaque psoriasis" <i>Mark Lebwohl, MD</i>
	<b>e291</b>	Dermatologic manifestations of hydroxychloroquine therapy: A closer look at the nails <i>Shari R. Lipner, MD, PhD, and Richard K. Scher, MD</i>
	<b>e293</b>	Response to: "Dermatologic manifestations of hydroxychloroquine therapy: A closer look at the nails" <i>Ajay N. Sharma, BS, Natasha A. Mesinkovska, MD, PhD, and Taraneh Paravar, MD</i>
	<b>e295</b>	Could the use of personal care oils in black women contribute to recent findings of an increased risk of breast cancer in this population? <i>Kiyanna Williams, MD, and Heather Woolery-Lloyd, MD</i>
	<b>e297</b>	Comment on "Re-evaluating the ABCD criteria using a consecutive series of melanomas" <i>Stuart Martin Goldsmith, MD</i>
	<b>e299</b>	Reply to: "Comment on 'Re-evaluating the ABCD criteria using a consecutive series of melanomas'" <i>Rebecca Liu, BS, and Laura K. Ferris, MD, PhD</i>
	<b>e301</b>	Virtual didactics exchanges to enhance trainee education <i>Melissa Shive, MD, MPH, Christopher Zachary, MBBS, FRCP, and Patrick Lee, MD</i>
	<b>e303</b>	Reply to: Do interleukin 17 inhibitors increase risk of respiratory tract infections? <i>Andrew Blauvelt, MD, MBA, and Benjamin D. Ebst, MD, PhD</i>
	<b>e305</b>	Reply to: "Do IL-17 inhibitors increase risk of respiratory tract infections?" <i>Marilyn T. Wan, MBChB, MPH, Daniel B. Shin, PhD, Kevin L. Winthrop, MD, MPH, and Joel M. Gelfand, MD, MSCE</i>

<b>e307</b>	<p>Strategies to prevent SARS-CoV-2 transmission during dermatologic head and neck surgery  <i>Mytrang H. Do, PhD, Kira Minkis, MD, PhD,  Tatyana A. Petukhova, MD, MS, and Shari R. Lipner, MD, PhD</i></p>
<b>e309</b>	<p>Experience in patients with hidradenitis suppurativa and COVID-19 symptoms  <i>José Luis Galán, MD, Catiana Silvente, MD, Mónica González, MD,  Claudia García, MD, Kevin Díez, MD, María Angeles Martín, MD,  Diana Velázquez, MD, and Pablo de la Cueva, PhD</i></p>
<b>e313</b>	<p>Time to revisit the Health Insurance Portability and Accountability Act (HIPAA)? Accelerated telehealth adoption during the COVID-19 pandemic  <i>Chinmoy Bhate, MD, Chin Hung Ho, MD, and Robert T. Brodell, MD</i></p>
<b>e315</b>	<p>Using cyclosporine in the COVID era: An emergent need for caution  <i>Ananta Khurana, MD, DNB, and Khushboo Sethia, MBBS</i></p>
<b>e317</b>	<p>Conducting inpatient dermatology consultations and maintaining resident education in the COVID-19 telemedicine era  <i>Margaret I. Hammond, MD, Timmie R. Sharma, MD,  Kevin D. Cooper, MD, and Mara G. Beveridge, MD</i></p>
<b>e319</b>	<p>Optimizing education for dermatology residents during the COVID-19 pandemic  <i>Parth Patel, MD, Anthony K. Guzman, MD, Beth McLellan, MD, and  Rachel Blasiak, MD, MPH</i></p>
<b>e321</b>	<p>Caution in the time of rashes and COVID-19  <i>Matthew D. Vesely, MD, PhD, and Sara H. Perkins, MD</i></p>
<hr style="border-top: 1px dotted #000;"/>	
<b>lotaderma</b>	<p><b>e323</b> lotaderma (#320)  <i>Robert I. Rudolph, MD, FACP</i></p>

To access the current version of the Information for Authors, Transfer of Copyright Form, Authorship Declaration Form, Conflict of Interest Disclosure, and Authors' Rights Statement, as well as many other pertinent documents, please visit our website at [www.jaad.org/content/auth\\_page](http://www.jaad.org/content/auth_page).

Full text access to Journal of the American Academy of Dermatology Online is now available for Academy members and all print subscribers. To activate your online subscription, please visit Journal of the American Academy of Dermatology Online by pointing your browser to <http://www.jaad.org>.

Icon Key		CME article
		Video content available at <a href="http://www.jaad.org">http://www.jaad.org</a>
		An interview with the author is available by podcast at: <a href="https://account.aad.org/Library/Podcasts">https://account.aad.org/Library/Podcasts</a>
		MOC credits available

---

### Early online publication: Articles in press

The *Journal of the American Academy of Dermatology* posts in-press articles online before they appear in the print edition of the *Journal*. These Articles in Press are available from both the JAAD website ([www.jaad.org](http://www.jaad.org)) and Science Direct ([www.sciencedirect.com](http://www.sciencedirect.com)).

To access Articles in Press, simply click the Articles in Press link.

### JAAD Case Reports

The *Journal of the American Academy of Dermatology* no longer publishes Case Reports. These can now be found in our new open access journal, JAAD Case Reports, at <http://www.jaadcasereports.org>.

---