


In the article by Lin et al. entitled “Efficacy of Budesonide Nasal Spray on Neutrophilic Chronic Rhinosinusitis with Nasal Polyps: A Combined Clinical and Experimental Study” [Int Arch Allergy Immunol. 2020;181:551–562, DOI 10.1159/000507395], Figure 5a needs to be corrected. The correct figure is shown below. The authors would like to apologize for any inconvenience caused.



**Fig. 5.** Comparisons of CD3<sup>+</sup>CD8<sup>+</sup> T cells. **a** Flow cytometry analysis of CD8<sup>+</sup> T cells in total CD3<sup>+</sup> T cells in normal mucosa. **b** Flow cytometry analysis of CD8<sup>+</sup> T cells in total CD3<sup>+</sup> T cells in NPs of pretreatment. **c** Flow cytometry analysis of CD8<sup>+</sup> T cells in total CD3<sup>+</sup> T cells in NPs of posttreatment. **d** Comparisons of percentage of CD8<sup>+</sup> T cells in total CD3<sup>+</sup> T cells. Q1 quadrant, CD3<sup>+</sup>CD8<sup>-</sup> staining; Q2 quadrant, CD3<sup>+</sup>CD8<sup>+</sup> staining; Q3 quadrant, CD3<sup>-</sup>CD8<sup>+</sup> staining; Q4 quadrant, CD3<sup>-</sup>CD8<sup>-</sup> staining; Normal, normal mucosa; NPs, nasal polyps; SEM, standard error of the mean; ns, not significant; Pre, pretreatment; Post, posttreatment. The values shown are expressed as mean ± SEM. \*\*\*\*p < 0.0001.