

JOURNAL OF SHOULDER AND ELBOW SURGERY

Copyright © 2021 by Journal of Shoulder and Elbow Surgery Board of Trustees

CONTENTS

VOLUME 30 • NUMBER 3 • MARCH

The Journal is included in the *Index Medicus* and in MEDLINE

ELBOW

Comparison of arthroscopy-assisted vs. open reduction and fixation of coronoid fractures of the ulna

Won-Taek Oh, MD, Woo-Sung Do, MD, Jin-Chul Oh, MD, Il-Hyun Koh, MD, PhD, Ho-Jung Kang, MD, PhD, and Yun-Rak Choi, MD, PhD, Seoul, Republic of Korea 469

Complications and functional outcomes after transolecranon distal humerus fracture

Elizabeth Cho, BA, Morgan B. Weber, MD, Dayton Opel, MD, Adrienne Lee, MD, Harry Hoyer, MD, and Blaine T. Bafus, MD, Cleveland, OH, USA 479

The treatment of isolated Mason type II radial head fractures: a systematic review

Fabian Lanzerath, Michael Hackl, MD, Kilian Wegmann, MD, PhD, Lars P. Müller, MD, PhD, and Tim Leschinger, MD, Cologne, Germany 487

The ulnar collateral ligament responds to stress in professional pitchers

Peter N. Chalmers, MD, Joy English, MD, RMSK, Daniel M. Cushman, MD, Chong Zhang, MS, Angela P. Presson, PhD, Steve Yoon, MD, Brian Schulz, MD, and Bernard Li, DPT, Salt Lake City, UT; Los Angeles, CA; Anaheim, CA, USA 495

The relationship between shoulder range of motion and elbow stress in college pitchers

Lafi S. Khalil, MD, Toufic R. Jildeh, MD, Kevin A. Taylor, MD, Caleb M. Gullledge, BS, D. Grace Smith, BS, Maxwell L. Sandberg, MS, Eric C. Makhni, MD, MBA, Kelechi R. Okoroha, MD, and Vasilios Moutzouras, MD, Detroit, MI; Albany, NY, USA 504

Medial elbow exposure: an anatomic comparison of 5 approaches

Adrian L. Huang, MBBCh BAO, FRCSC, Michael Hackl, MD, Andrea H.W. Chan, HBSc, MA, MD, FRCSC, David T. Axford, BSc, George S. Athwal, MD, FRCSC, and Graham J.W. King, MD, MSc, FRCSC, Vancouver, BC; London, ON, Canada; and Cologne, Germany 512

Continued on Page 4A

Publication information. *Journal of Shoulder and Elbow Surgery* (ISSN: 1058-2746) is published monthly by Elsevier Inc., 360 Park Avenue South, New York, NY 10010-1710. Business and Editorial Offices: 1600 John F. Kennedy Blvd., Suite 1800, Philadelphia, PA 19103-2899. Elsevier Customer Service Office: 3251 Riverport Lane, Maryland Heights, MO 63043. Periodicals postage paid at New York, NY and additional mailing offices.

USA POSTMASTER: Send address changes to Elsevier, Journal Returns, 1799 Highway 50 East, Linn, MO 65051.

CONTENTS

CONTINUED

BASIC SCIENCE

Genetic variants associated with rotator cuff tearing utilizing multiple population-based genetic resources

Robert Z. Tashjian, MD, Stuart K. Kim, PhD, Megan D. Roche, MD, Kevin B. Jones, MD, and Craig C. Teerlink, PhD, Salt Lake City, UT; Stanford, CA, USA520

Risk of suprascapular nerve injury during glenoid baseplate fixation for reverse total shoulder arthroplasty: a cadaveric study

Danica D. Vance, MD, Jeffrey A. O'Donnell, MD, Edward L. Baldwin III, MD, Jonathan W. Cheah, MD, Gregory Pereira, MD, Christopher Klifto, MD, Tally E. Lassiter, MD, and Oke A. Anakwenze, MD, MBA, Durham, NC; Raleigh, NC, USA 532

The incidence and incubation period of false-positive culture results in shoulder surgery

Tyler R. McCarroll, MD, Ryan R. Jaggars, MD, Robert A. Cagle, MD, Thomas E. Davis, MD, PhD, Brenda L. Easton, LPN, Chris T. Curless, MHA, ATC, LAT, and Gary W. Misamore, MD, Indianapolis, IN, USA ...538

Effect of kartogenin-loaded gelatin methacryloyl hydrogel scaffold with bone marrow stimulation for enthesis healing in rotator cuff repair

Chenglong Huang, MD, Xuancheng Zhang, MD, Huanhuan Luo, MD, Jieen Pan, MD, Wenguo Cui, PhD, Biao Cheng, MD, Song Zhao, MD, PhD, and Gang Chen, MD, Shanghai, Zhejiang, China544

Correlation of Patient Reported Outcome Measurement Information System (PROMIS) with American Shoulder and Elbow Surgeon (ASES), and Constant (CS) scores in idiopathic adhesive capsulitis

Oluwadamilola Kolade, MD, Niloy Ghosh, MD, Tyler A. Luthringer, MD, Yoav Rosenthal, MD, Young W. Kwon, MD, PhD, Andrew S. Rokito, MD, Joseph D. Zuckerman, MD, and Mandeep S. Virk, MD, New York, NY, USA554

Automated muscle elongation measurement during reverse shoulder arthroplasty planning

Jonathan Pitocchi, MSc, Katrien Plessers, MSc, Roel Wirix-Speetjens, PhD, Philippe Debeer, MD, PhD, G. Harry van Lenthe, PhD, Ilse Jonkers, PhD, Maria Angeles Pérez, PhD, and Jos Vander Sloten, PhD, Heverlee, Leuven, Belgium; and Zaragoza, Spain561

The influence of reverse arthroplasty humeral component design features on scapular spine strain

Alicia M. Kerrigan, MD, MSc, Jacob M. Reeves, PhD, G. Daniel G. Langohr, PhD, James A. Johnson, PhD, and George S. Athwal, MD, FRCSC, London, ON, Canada 572

SHOULDER

A localized laminar flow device decreases airborne particulates during shoulder arthroplasty: a randomized controlled trial

Brent J. Morris, MD, Casey J. Kiser, MD, Mitzi S. Laughlin, PhD, Mihir M. Sheth, MD, Warren R. Dunn, MD, Hussein A. Elkousy, MD, and T. Bradley Edwards, MD, Houston, TX; Camp Hill, PA, USA580

Continued on Page 6A

CONTENTS

CONTINUED

Liposomal bupivacaine interscalene nerve block in shoulder arthroplasty is not superior to plain bupivacaine: a double-blinded prospective randomized control trial Steven J. Hattrup, MD, Andrew S. Chung, DO, David M. Rosenfeld, MD, Lopa Misra, DO, Veerandra Koyyalamudi, MBBS, Matthew L. Ritz, MD, and John M. Tokish, MD, Phoenix, AZ, USA	587
Computed tomographic evaluation of glenoid joint line restoration with glenoid bone grafting and reverse shoulder arthroplasty in patients with significant glenoid bone loss Kristine R. Italia, MD, FPOA, Nicholas Green, BDes, MEng, Jashint Maharaj, MBBS, MPHTM, Marine Launay, MEng, and Ashish Gupta, MBBS, MSc, FRACS, FAOrthA, Brisbane, Australia	599
Reverse total shoulder arthroplasty for patients with minimal preoperative pain: a matched-cohort analysis Teja S. Polisetty, BS, Andrew Malarkey, DO, Ryan Colley, DO, and Jonathan C. Levy, MD, Fort Lauderdale, FL; Dayton, OH, USA	609
Is postoperative glucose variability associated with adverse outcomes following shoulder arthroplasty? Allison J. Rao, MD, Nicholas C. Yeatts, BS, Risa T. Reid, MD, David P. Trofa, MD, Gregory Scarola, MSPH, Shadley C. Schiffern, MD, Nady Hamid, MD, and Bryan M. Saltzman, MD, Charlotte, NC; New York, NY, USA	616
Arthroscopic superior capsule reconstruction with Teflon felt synthetic graft for irreparable massive rotator cuff tears: clinical and radiographic results at minimum 2-year follow-up Kenji Okamura, MD, Masayuki Abe, MD, Yuichiro Yamada, MD, Takeshi Makihara, MD, Takaki Yoshimizu, MD, Yoshinari Sakaki, PT, Yuki Suzumori, PT, and Teruhisa Mihata, MD, PhD, Sapporo, Hokkaido; Takatsuki, Osaka, Japan	625
Early and delayed acromioclavicular joint reconstruction provide equivalent outcomes Alexandre Lädermann, MD, Patrick J. Denard, MD, Philippe Collin, MD, Julia Blanche Cécile Cau, MS, Floris Van Rooij, MSc, and Sébastien Ploton, MD, Meyrin, Geneva, Nyon, Switzerland; Portland, OR, USA; and Saint-Grégoire, France	635
Posterior latissimus dorsi transfer for massive irreparable posterosuperior rotator cuff tears: does it work in the elderly population? A comparative study between 2 age groups (≤ 55 vs. ≥ 75 years old) Jean Kany, MD, Padmanaban Sekakaran, MSc, PT, Rajkumar S. Amavarathi, DNB, FRCS, Prateek Patil, MS, Jean Grimberg, MD, Philippe Valenti, MD, and Jean David Werthel, MD, Saint Jean, Paris, France; and Bangalore, India	641
Improvements in sexual function following arthroscopic rotator cuff repair Robert E. Nugent, DO, Quincy T. Cheesman, DO, Alexandria K. Bradian, MS, and Luke S. Austin, MD, Stratford, NJ; Philadelphia, PA, USA	652
Efficacy of the modified Frailty Index and the modified Charlson Comorbidity Index in predicting complications in patients undergoing operative management of proximal humerus fracture Brendan C. Yi, BA, Anirudh K. Gowd, MD, Avinash Agarwalla, MD, Eric Chen, MD, Nirav H. Amin, MD, Gregory P. Nicholson, MD, Anthony A. Romeo, MD, and Joseph N. Liu, MD, Winston-Salem, NC; Valhalla, NY; Loma Linda, CA; Chicago, IL; New York, NY, USA	658

Continued on Page 8A

CONTENTS

CONTINUED

Survivorship of autologous structural bone graft at a minimum of 2 years when used to address significant glenoid bone loss in primary and revision shoulder arthroplasty: a computed tomographic and clinical review

Jagwant Singh, FRCS(Tr & Orth), Saurabh Odak, FRCS(Tr & Orth),
Karthik Neelakandan, MBBS, MS(Ortho), MCh(Ortho), Michael J. Walton, FRCS(Tr & Orth),
Puneet Monga, FRCS(Tr & Orth), Steve Bale, FRCS(Tr & Orth), and Ian Trail, FRCS(Tr & Orth), MD, Wigan, UK668

Clavicle nonunion: plate and graft type do not affect healing rates—a single surgeon experience with 71 cases

Donald A. Wiss, MD, and John M. Garlich, MD, MHDS, Los Angeles, CA, USA679

REVIEW ARTICLES

Results and complications of head-preserving techniques in chronic neglected shoulder dislocation: a systematic review

Dipit Sahu, MS, Vaibhavi Rathod, MPT, Ashish Phadnis, MS, and Ashok Shyam, MS, Mumbai, Maharashtra;
Thane, Maharashtra, India685

Improved functional outcome and tuberosity healing in patients treated with fracture stems than nonfracture stems during shoulder arthroplasty for proximal humeral fracture: a meta-analysis and systematic review

James R. Onggo, MBBS (Hons), Mithun Nambiar, MBBS, BMedSc, Jason D. Onggo, BEng, MD,
Raphael Hau, MBBS, FRACS, Richard Pennington, BSc (Hons), MBBS, FRCSEd (Tr&Orth), FRACS, FAOrthA, and
Kemble K. Wang, MBBS, BMedSc, FRACS, Box Hill, VIC; Clayton, VIC; Parkville, VIC, Australia; and
Singapore 695

ONLINE ARTICLES

Surgical treatment for recurrent shoulder instability: factors influencing surgeon decision making

Brian C. Lau, MD, Carolyn A. Hutyra, MCCI, Juan Marcos Gonzalez, PhD, Richard C. Mather III, MD,
Brett D. Owens, MD, William N. Levine, MD, Grant E. Garrigues, MD, John D. Kelly, MD,
David Kovacevic, MD, Jeffrey S. Abrams, MD, Frances Cuomo, MD, Patrick J. McMahon, MD,
Scott Kaar, MD, Joshua S. Dines, MD, Anthony Miniaci, MD, Sameer Nagda, MD, Jonathan P. Braman, MD,
Alicia K. Harrison, MD, Peter MacDonald, MD, and Jonathan C. Riboh, MD, Durham, NC; Providence, RI;
New York, NY; Chicago, IL; Philadelphia, PA; New Haven, CT; Princeton, NJ; Pittsburgh, PA; St. Louis, MO;
Cleveland, OH; Arlington, VA; Minneapolis, MN, USA; and Winnipeg, MB, Canada e85

Risk factors for hardware removal following operative treatment of middle- and distal-third clavicular fractures

Brian P. Davis, MD, Theodore B. Shybut, MD, Michelle M. Coleman, MD, PhD, and Anup A. Shah, MD,
Houston, TX; Baltimore, MD, USA e103

Mental health and substance use affect perioperative opioid demand in upper extremity trauma surgery

Daniel J. Cunningham, MD, MHSc, Micaela A. LaRose, BA, Christopher S. Klifto, MD, and
Mark J. Gage, MD, Durham, NC, USA e114

Reverse total shoulder arthroplasty after iatrogenic axillary artery injury: a case report

Daniel R. O'Neill, BS, Joseph J. King, MD, and Kevin W. Farmer, MD, Gainesville, FL, USA e121

Continued on Page 10A

CONTENTS

CONTINUED

Exercise-induced bilateral upper-arm anterior and posterior compartment syndrome with rhabdomyolysis

Michael C. Doarn, MD, and Mark S. Carlson, DO, Sioux City, IA, USA e129

One complication doesn't prove bad results: Letter to the Editor regarding Pangaud et al: "Fracture of pyrocarbon humeral head resurfacing implant: a case report"

Gregory Hoy, MBBS, FRACS, FAOrthA, FACSEP, FASMF, Andrew McBride, MBBS, FRACS, FAOrthA, and Fraser Taylor, MBBS, FRACS, FAOrthA, Windsor, VIC, Australia e132

Response to Letter to the Editor regarding: "Fracture of pyrocarbon humeral head resurfacing implant: a case report"

Pascal Boileau, MD, PhD, Joseph W. Galvin, DO, Corentin Pangaud, MD, Jean-François Gonzalez, MD, and Marc-Olivier Gauci, MD, Nice, France e134

Erratum to: Fracture of Pyrocarbon Humeral Head Resurfacing Implant: A Case Report (*J Shoulder Elbow Surg*, 29(8): e306-e312, August 1, 2020; doi: <https://doi.org/10.1016/j.jse.2020.02.028>).

e136

READER SERVICES

Information for Readers	14A
Information for Authors	15A

Disclaimer

Practitioners and researchers must always rely on their own experience and knowledge in evaluating and using any information, methods, compounds or experiments described herein. Because of rapid advances in the medical sciences, in particular, independent verification of diagnoses and drug dosages should be made. To the fullest extent of the law, no responsibility is assumed by the American Shoulder and Elbow Surgeons for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions, or ideas contained in the material herein.