

JOURNAL OF SHOULDER AND ELBOW SURGERY

Copyright © 2021 by Journal of Shoulder and Elbow Surgery Board of Trustees

CONTENTS

VOLUME 30 • NUMBER 4 • APRIL

The Journal is included in the *Index Medicus* and in MEDLINE

BASIC SCIENCE

The American Shoulder and Elbow Surgeons score highly correlates with the Simple Shoulder Test

Keith M. Baumgarten, MD, and Peter S. Chang, MD, Sioux Falls, SD; St. Louis, MO, USA 707

Infraspinatus and deltoid length and patient height: implications for lateralization and distalization in reverse total shoulder arthroplasty

Peter N. Chalmers, MD, Spencer R. Lindsay, MPA, Weston Smith, BA, Jun Kawakami, MD, PhD, Ryan Hill, MD, Robert Z. Tashjian, MD, and Jay D. Keener, MD, Salt Lake City, UT; St. Louis, MO, USA 712

Three-dimensional kinematic features in large and massive rotator cuff tears with pseudoparesis

Wataru Sahara, MD, PhD, Takaharu Yamazaki, PhD, Tetsuya Inui, PT, and Shoji Konda, PhD, Suita, Fukaya, Japan. 720

Defining the proximity of the axillary nerve from defined anatomic landmarks: an in vivo magnetic resonance imaging study

Simon B.M. MacLean, MBChB, FRCSEd(Tr&Orth), PGDipCE, Teriana Maheno, MBChB, BScAnat, Alex Boyle, MBChB, Amanda Ragg, MBChB, BSc, FRANZCR, Gregory I. Bain, PhD, MBBC, FRACS, FA(Ortho)A, and Ian Galley, FRACS, Bay of Plenty, New Zealand; and Adelaide, SA, Australia 729

Reliability of the modified Walch classification for advanced glenohumeral osteoarthritis using 3-dimensional computed tomography analysis: a study of the ASES B2 Glenoid Multicenter Research Group

ASES B2 Glenoid Multicenter Research Group, Eric T. Ricchetti, MD, Michael S. Khazzam, MD, Patrick J. Denard, MD, David M. Dines, MD, T. Bradley Edwards, MD, Vahid Entezari, MD, MMSc, Richard J. Friedman, MD, FRCSC, Grant E. Garrigues, MD, Robert J. Gillespie, MD, Brian M. Grawe, MD, Andrew Green, MD, Armodios M. Hatzidakis, MD, J. Gabriel Horneff, MD, Jason E. Hsu, MD, Andrew Jawa, MD, Yuxuan Jin, MS, Peter S. Johnston, MD, Bong-Jae Jun, PhD, Jay D. Keener, MD, James D. Kelly II, MD, Young W. Kwon, MD, PhD, Anthony Miniaci, MD, Brent J. Morris, MD, Surena Namdari, MD, MSc, Edwin E. Spencer, MD, Gregory Strnad, MS, Gerald R. Williams Jr, MD, and Joseph P. Iannotti, MD, PhD, Cleveland, OH, USA 736

Continued on Page 4A

Publication information. *Journal of Shoulder and Elbow Surgery* (ISSN: 1058-2746) is published monthly by Elsevier Inc., 360 Park Avenue South, New York, NY 10010-1710. Business and Editorial Offices: 1600 John F. Kennedy Blvd., Suite 1800, Philadelphia, PA 19103-2899. Elsevier Customer Service Office: 3251 Riverport Lane, Maryland Heights, MO 63043. Periodicals postage paid at New York, NY and additional mailing offices.

USA POSTMASTER: Send address changes to Elsevier, Journal Returns, 1799 Highway 50 East, Linn, MO 65051.

CONTENTS

CONTINUED

Humeral intramedullary nail placement through the rotator interval: an anatomic and radiographic analysis

Eliana B. Saltzman, MD, Elshaday Belay, MD, Andrew E. Federer, MD, Robert French, MD, Oke Anakwenze, MD, MBA, Mark J. Gage, MD, and Christopher S. Klifto, MD, Durham, NC, USA 747

Glenoid vault and humeral head alignment in relation to the scapular blade axis in young patients with pre-osteoarthritic static posterior subluxation of the humeral head

Doruk Akgün, MD, Paul Siegert, MD, Victor Danzinger, MD, Fabian Plachel, MD, PhD, Marvin Minkus, MD, Kathi Thiele, MD, and Philipp Moroder, MD, Berlin, Germany. 756

Impact of humeral and glenoid component variations on range of motion in reverse geometry total shoulder arthroplasty: a standardized computer model study

Antonio Arenas-Miquelez, MD, Richard J. Murphy, MBChB, MA, DPhil, FRCS(Orth), Andrea Rosa, Davide Caironi, and Matthias A. Zumstein, MD, Bern, Castel San Pietro, Switzerland 763

Effects of type II SLAP lesion repair techniques on the vascular supply of the long head of the biceps tendon: a cadaveric injection study

Chanakarn Phornphutkul, MD, Siripong Tahwang, MD, and Jongkolnee Settakorn, MD, Chiang Mai, Thailand . . . 772

Topography of sensory receptors within the human glenohumeral joint capsule

Erica Kholinne, MD, PhD, Dasom Kim, PhD, Jae-Man Kwak, MD, Yucheng Sun, MD, PhD, Hyojune Kim, MD, Kyoung-Hwan Koh, MD, PhD, and In-Ho Jeon, MD, PhD, Jakarta, Indonesia; Seoul, Republic of Korea; and Nantong, China 779

Surgeon acceptance of an initial 3D glenoid preoperative plan: rates and risk factors

Robert U. Hartzler, MD, MS, Patrick J. Denard, MD, Justin W. Griffin, MD, Brian C. Werner, MD, and Anthony A. Romeo, MD, San Antonio, TX; Medford, OR; Portland, OR; Virginia Beach, VA; Norfolk, VA; Charlottesville, VA; Downers Grove, IL, USA 787

SHOULDER

The ligamentous injury pattern in acute acromioclavicular dislocations and its impact on clinical and radiographic parameters

Marvin Minkus, MD, Gero Wieners, MD, Nina Maziak, MD, Fabian Plachel, MD, PhD, Markus Scheibel, MD, and Natascha Kraus, MD, Berlin, Greifswald, Germany; and Zürich, Switzerland 795

Is there value in the routine practice of discarding the incision scalpel from the surgical field to prevent deep wound contamination with *Cutibacterium acnes*?

Benjamin J. Levy, MD, Nathan L. Grimm, MD, Andrew E. Jimenez, MD, Kevin P. Shea, MD, and Augustus D. Mazzocca, MS, MD, Farmington, CT; Boise, ID, USA 806

Comparison of complication types and rates associated with anatomic and reverse total shoulder arthroplasty

Stephen A. Parada, MD, Pierre-Henri Flurin, MD, Thomas W. Wright, MD, Joseph D. Zuckerman, MD, Josie A. Elwell, PhD, Christopher P. Roche, MSE, MBA, and Richard J. Friedman, MD, FRCSC, Augusta, GA; Gainesville, FL; New York, NY; Charleston, SC, USA; and Bordeaux, France 811

The value of lateral glenohumeral offset in predicting construct failure in proximal humerus fractures following internal fixation

Andrew Konopitski, MD, David Roy, MD, Matthew Beck, DO, Ajith Malige, MD, and Chinenye Nwachuku, MD, Bethlehem, PA; San Francisco, CA; Norristown, PA, USA 819

Continued on Page 6A

CONTENTS

CONTINUED

Risk factors for and prognosis of folded rotator cuff tears: a comparative study using propensity score matching

Hyeon Jang Jeong, MD, Hong Seok Kim, MD, Sung-Min Rhee, MD, PhD, and Joo Han Oh, MD, PhD, Seongnam, Seoul, Republic of Korea 826

Does the timing of surgical intervention impact the clinical outcomes and overall duration of symptoms in frozen shoulder?

Akihiko Hasegawa, MD, PhD, Teruhisa Mihata, MD, PhD, Kunimoto Fukunishi, MD, and Masashi Neo, MD, PhD, Takatsuki, Japan 836

The effect of glenoid bone loss and rotator cuff status in failed anatomic shoulder arthroplasty after revision to reverse shoulder arthroplasty

Kimberly J. Franke, MD, MSc, Kaitlyn N. Christmas, BS, CCRC, Peter Simon, PhD, Mark A. Mighell, MD, and Mark A. Frankle, MD, Tampa, FL, USA 844

A cohort comparison of humeral implant designs in reverse shoulder arthroplasty: does implant design lead to lower rates of complications and revision?

R. Allen Gorman II, MD, Kaitlyn N. Christmas, BS, CRCC, Peter Simon, PhD, Mark A. Mighell, MD, and Mark A. Frankle, MD, Tampa, FL, USA 850

Institutional reductions in opioid prescribing do not change patient satisfaction on Press Ganey surveys after total shoulder arthroplasty

David A. Bloom, BA, Amit K. Manjunath, BS, Matthew J. Gotlin, MD, Eoghan T. Hurley, MB, BCh, MCh, Laith M. Jazrawi, MD, Mandeep S. Virk, MD, Young M. Kwon, MD, and Joseph D. Zuckerman, MD, New York, NY, USA 858

Capsulorrhaphy with Achilles allograft augmentation for shoulder instability in patients with Ehlers-Danlos syndrome

Tom J. School, MD, Ngoc Tram V. Nguyen, BA, Arthur van Noort, MD, PhD, Tjarc D.W. Alta, MD, PhD, and Joaquin Sanchez-Sotelo, MD, PhD, Haarlem/Hoofddorp, the Netherlands; and Rochester, MN, USA 865

Preoperative partial-thickness rotator cuff tears do not compromise anatomic total shoulder replacement outcomes: medium-term follow-up

Parag Raval, BSc(Hons), MBBS, MRCS, Victoria N. Gibbs, BA(Hons), MBBS, MRCS, and Radhakant Pandey, MBBS, FRCS(Glas), McH(Ortho), MS(Ortho), Dip in Sports Medicine, Leicester, UK 871

Primary reverse total shoulder arthroplasty in patients older than 80 years: clinical and radiologic outcome measures

Philipp Kriechling, MD, Rafael Loucas, MD, Marios Loucas, MD, Tabea Künzler, BSc, Christian Gerber, MD, and Karl Wieser, MD, Zürich, Switzerland 877

ELBOW

How effective is periarticular multimodal drug injection in open elbow arthrolysis? A prospective double-blind randomized controlled trial

Ziyang Sun, MD, Gang Luo, MD, Juehong Li, MD, Haomin Cui, MD, Weixuan Liu, MD, and Cunyi Fan, MD, PhD, Shanghai, China 884

Continued on Page 8A

CONTENTS

CONTINUED

Management of anteromedial coronoid fractures according to a protocol focused on instability assessment provides good outcomes with infrequent need for coronoid fixation

Habib Syed, BMBS, Paul Cameron, MBBS, MA(Cantab), and Joideep Phadnis, MBChB, FRCS(Tr&Orth), Brighton, UK 894

Return to work following distal triceps repair

Avinesh Agarwalla, MD, Anirudh K. Gowd, MD, Kyleen Jan, BS, Joseph N. Liu, MD, Grant H. Garcia, MD, Edmund Naami, BS, Robert W. Wysocki, MD, John J. Fernandez, MD, Mark S. Cohen, MD, and Nikhil N. Verma, MD, Valhalla, NY; Winston-Salem, NC; Chicago, IL; Loma Linda, CA; Seattle, WA, USA. 906

Revision total elbow arthroplasty with the ulnar component implanted into the radius for management of large ulna defects

Kate D. Bellevue, MD, Daniel J. Lorenzana, MD, Christopher S. Klifto, MD, Marc J. Richard, MD, and David S. Ruch, MD, Durham, NC, USA 913

REVIEW ARTICLES

The clinical efficacy of leukocyte-poor platelet-rich plasma in arthroscopic rotator cuff repair: a meta-analysis of randomized controlled trials

Di Zhao, MD, Yan-hong Han, MD, Jian-ke Pan, PhD, Wei-yi Yang, PhD, Ling-feng Zeng, PhD, Gui-hong Liang, MD, and Jun Liu, PhD, Guangzhou, China 918

Reverse total shoulder arthroplasty clinical and patient-reported outcomes and complications stratified by preoperative diagnosis: a systematic review

June Kennedy, PT, DPT, OCS, Christopher S. Klifto, MD, Leila Ledbetter, MLIS, and Garrett S. Bullock, PT, DPT, Durham, NC, USA; and Oxford, UK 929

The treatment of anteromedial coronoid facet fractures: a systematic review

Fabian Lanzerath, Michael Hackl, MD, Kilian Wegmann, MD, PhD, Lars P. Müller, MD, PhD, and Tim Leschinger, MD, Cologne, Germany 942

ONLINE ARTICLES

Establishing clinically significant outcome thresholds for the Single Assessment Numeric Evaluation 2 years following total shoulder arthroplasty

Matthew R. Cohn, MD, Kyle N. Kunze, MD, Evan M. Polce, BS, Michael Nemsick, BS, Grant E. Garrigues, MD, Brian Forsythe, MD, Gregory P. Nicholson, MD, Brian J. Cole, MD, MBA, and Nikhil N. Verma, MD, Chicago, IL, USA e137

Cemented versus uncemented fixation of second-generation Trabecular Metal glenoid components: minimum 5-year outcomes

Raymond E. Chen, MD, Alexander M. Brown, MD, Alexander S. Greenstein, MD, Richard J. Miller, MD, Sandeep Mannava, MD, PhD, and Ilya Voloshin, MD, Rochester, NY, USA e147

Variation in technique and postoperative management of the Latarjet procedure among orthopedic surgeons

Behnam Sharareh, MD, T. Bradley Edwards, MD, Anup Shah, MD, and Theodore Shybut, MD, Houston, TX, USA e157

Continued on Page 10A

CONTENTS

CONTINUED

Factors that influence inpatient satisfaction after shoulder arthroplasty

Robert N. Matar, MD, Nihar S. Shah, MD, Jonathan C. Vincent, BS, MBA, Shane Rayos Del Sol, BS, MS, and Brian M. Grawe, MD, Cincinnati, OH, USA e165

Response to Letter to the Editor regarding: “Reverse shoulder arthroplasty with and without latissimus and teres major transfer for patients with combined loss of elevation and external rotation: a prospective, randomized investigation”

Bradley L. Young, MD, and Nady Hamid, MD, Charlotte, NC, USA e173

Letter to the Editor regarding Hagiwara et al: “Effects of joint capsular release on range of motion in patients with frozen shoulder”

Jin Sik Park, MD, and Bong Gun Lee, MD, PhD, Seoul, Republic of Korea e175

Reply to the Park and Lee regarding: “Effects of joint capsular release on range of motion in patients with frozen shoulder”

Yoshihiro Hagiwara, MD, PhD, Kenji Kanazawa, MD, PhD, Akira Ando, MD, PhD, Takuya Sekiguchi, MD, PhD, Masashi Koide, MD, PhD, Yutaka Yabe, MD, PhD, and Eiji Itoi, MD, PhD, Sendai, Ohgawara, Morioka, Japan e177

Letter to the Editor regarding Young et al: “Reverse shoulder arthroplasty with and without latissimus and teres major transfer for patients with combined loss of elevation and external rotation: a prospective, randomized investigation”

Pascal Boileau, MD, PhD, Mikaël Chelli, MD, MSc, Tyler R. Johnston, MD, Gabriel Cardenas, MD, and Marc-Olivier Gauci, MD, PhD, Nice, France, Orange, CA, USA, Santiago, Chile e178

Award-Winning Abstracts from the Japan Shoulder Society Annual Meeting 2020..... e181

READER SERVICES

Information for Readers	13A
Information for Authors	15A

Disclaimer

Practitioners and researchers must always rely on their own experience and knowledge in evaluating and using any information, methods, compounds or experiments described herein. Because of rapid advances in the medical sciences, in particular, independent verification of diagnoses and drug dosages should be made. To the fullest extent of the law, no responsibility is assumed by the American Shoulder and Elbow Surgeons for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions, or ideas contained in the material herein.