

JOURNAL OF SHOULDER AND ELBOW SURGERY

Copyright © 2021 by *Journal of Shoulder and Elbow Surgery* Board of Trustees

CONTENTS

VOLUME 30 • NUMBER 5 • MAY

The Journal is included in the *Index Medicus* and in MEDLINE

EDITORIAL

Biceps tenotomy vs. tenodesis

William J. Mallon, MD, Conway, NH, USA949

REVIEW ARTICLES

Biceps tenodesis versus tenotomy: a systematic review and meta-analysis of level I randomized controlled trials

John W. Belk, BA, Matthew J. Kraeutler, MD, Darby A. Houck, BA, Ashley N. Chrisman, PA-C, Anthony J. Scillia, MD, and Eric C. McCarty, MD, Aurora, CO; Paterson and Wayne, NJ, USA951

A meta-analysis of level I evidence comparing tenotomy vs tenodesis in the management of long head of biceps pathology

Xi Ming Zhu, MBBS, MSc, Timothy Leroux, MD, MEd, FRCSC, Eyal Ben-David, MBBS, Brittany Dennis, PhD, MBBS, Chetan Goyal, MD, Jacob M. Kirsch, MD, and Moin Khan, MD, MSc, FRCSC, London, UK; Toronto and Hamilton, ON, Canada; and Boston, MA, USA961

The Popeye sign: a doctor's and not a patient's problem

Derek F.P. van Deurzen, MD, Frans L. Garssen, BSc, Ronald N. Wessel, MD, Gino M.M.J. Kerkhoffs, MD, PhD, Michel P.J. van den Bekerom, MD, PhD, and Marieke F. van Wier, PhD, Amsterdam and Utrecht, the Netherlands969

Shoulder and elbow pathology in the female athlete: sex-specific considerations

Lauren E. Wessel, MD, Claire D. Eliasberg, MD, Edward Bowen, BA, and Karen M. Sutton, MD, New York, NY, USA977

Continued on Page 5A

Publication information. *Journal of Shoulder and Elbow Surgery* (ISSN: 1058-2746) is published monthly by Elsevier Inc., 360 Park Avenue South, New York, NY 10010-1710. Business and Editorial Offices: 1600 John F. Kennedy Blvd., Suite 1800, Philadelphia, PA 19103-2899. Elsevier Customer Service Office: 3251 Riverport Lane, Maryland Heights, MO 63043. Periodicals postage paid at New York, NY and additional mailing offices.

USA POSTMASTER: Send address changes to Elsevier, Journal Returns, 1799 Highway 50 East, Linn, MO 65051.

CONTENTS

CONTINUED

SHOULDER

Liposomal bupivacaine infiltration in the surgical site for analgesia after rotator cuff repair: a randomized, double-blinded, placebo-controlled trial Nicole M. Verdecchia, MD, Mark W. Rodosky, MD, Michael Kentor, MD, and Steven L. Orebaugh, MD, Pittsburgh, PA, USA	986
Reverse total shoulder arthroplasty provides better shoulder function than hemiarthroplasty for displaced 3- and 4-part proximal humeral fractures in patients aged 70 years or older: a multicenter randomized controlled trial Eythor Ö. Jonsson, MD, Carl Ekholm, MD, PhD, Björn Salomonsson, MD, PhD, Yilmaz Demir, MD, and Per Olerud, MD, PhD, Collaborators in the SAPF Study Group, Gothenburg, Mölndal, and Stockholm, Sweden	994
Cost-effectiveness analyses in shoulder arthroplasty: a critical review using the Quality of Health Economic Studies (QHES) instrument William M. Cregar, MD, Alexander Beletsky, BA, Gregory L. Cvetanovich, MD, Brian T. Feeley, MD, Gregory P. Nicholson, MD, and Nikhil N. Verma, MD, Chicago, IL; La Jolla and San Francisco, CA; Columbus, OH, USA	1007
Stiffness: friend or foe? A cohort study evaluating the effect of early postoperative stiffness on the outcomes of patients who underwent superior labral repair Geoffrey T. Murphy, Patrick Lam, MD, PhD, and George A.C. Murrell, MD, DPhil, Sydney, NSW, Australia	1018
Preoperative opioid use is an independent risk factor for complication, revision, and increased health care utilization following primary total shoulder arthroplasty Jacob M. Wilson, MD, Kevin X. Farley, BS, Michael B. Gottschalk, MD, Charles A. Daly, MD, and Eric R. Wagner, MD, Atlanta, GA, USA	1025
Postoperative opioid utilization associated with revision risk following primary shoulder arthroplasty Anshuman Singh, MD, Priscilla H. Chan, MS, Heather A. Prentice, PhD, and Anita G. Rao, MD, San Diego, CA; Portland, OR, USA	1034
Comparison of the accuracy of telehealth examination versus clinical examination in the detection of shoulder pathology Kendall E. Bradley, MD, Chad Cook, PT, PhD, MBA, FAPTA, Emily K. Reinke, PhD, Emily N. Vinson, MD, Richard C. Mather III, MD, MBA, Jonathan Riboh, MD, Tally Lassiter, MD, MHA, and Jocelyn R. Wittstein, MD, Durham, NC, USA	1042
Superior capsular reconstruction using a porcine dermal xenograft for irreparable rotator cuff tears: outcomes at minimum two-year follow-up Albert Ferrando, MD, PhD, Ross Kingston, FRCS, and Ruth A. Delaney, FRCS, Reus, Spain; and Co Kerry and Dublin, Ireland	1053
Short-term outcomes of reverse shoulder arthroplasty using a custom baseplate for severe glenoid deficiency Blake M. Bodendorfer, MD, Galvin J. Loughran, MD, Austin M. Looney, MD, Anthony T. Velott, MD, Jason A. Stein, MD, David M. Lutton, MD, Brent B. Wiesel, MD, and Anand M. Murthi, MD, Washington, DC, USA	1060

Continued on Page 7A

CONTENTS

CONTINUED

Central-peg radiolucency progression of an all-polyethylene glenoid with hybrid fixation in anatomic total shoulder arthroplasty is associated with clinical failure and reoperation	
Jason C. Ho, MD, Eric T. Ricchetti, MD, and Joseph P. Iannotti, MD, PhD, Cleveland, OH, USA	1068
Monitoring daily shoulder activity before and after reverse total shoulder arthroplasty using inertial measurement units	
Madeleine L. Van de Kleut, BMSc, Riley A. Bloomfield, BESC, Matthew G. Teeter, PhD, and George S. Athwal, MD, FRCSC, London, ON, Canada	1078
Grip and shoulder strength correlation with validated outcome instruments in patients with rotator cuff tears	
Robert C. Manske, DPT, Dalton W. Jones, DPT, Clayton E. Dir, DPT, Haley K. LeBlanc, DPT, Megan A. Reddy, DPT, Matthew A. Straka, DPT, Kayla Demel, ATC, Daniel Prohaska, MD, Greg Mendez, MD, and Barbara Smith, PhD, Wichita, KS, USA	1088
Determination of pre-arthropathy scapular anatomy with a statistical shape model: part I—rotator cuff tear arthropathy	
Filip Verhaegen, MD, Alexander Meynen, Harold Matthews, Peter Claes, Philippe Debeer, MD, PhD, and Lennart Scheys, PhD, Leuven, Belgium; and Melbourne, VIC, Australia	1095
Comma sign of subscapularis tear: diagnostic performance and magnetic resonance imaging appearance	
Marcello Zappia, MD, PhD, Francesco Ascione, MD, Alfonso Maria Romano, MD, Francesco Di Pietto, MD, PhD, Guglielmo Nastrucci, MD, Anna Collina, MD, and Luca Brunese, MD, Campobasso, Eboli, Naples and Castel Volturno, Italy	1107
Shoulder internal rotation contracture in brachial plexus birth injury: proximal or distal subscapularis release?	
Romain Allard, MD, Franck Fitoussi, MD, PhD, Mohammad Reza Azarpira, MD, Manon Bachy, MD, PhD, Jean Grimberg, MD, and Malo Le Hanneur, MD, Paris, France	1117
Efficacy of a single, image-guided corticosteroid injection for glenohumeral arthritis	
Cameron M. Metzger, MD, Hassan Farooq, BS, Gregory A. Merrell, MD, F. Thomas D. Kaplan, MD, Jeffrey A. Greenberg, MD, Nicholas E. Crosby, MD, Kathryn M. Peck, MD, and Reed W. Hoyer, MD, Indianapolis, IN, USA	1128

ELBOW

Factors associated with revision surgery for olecranon bursitis after bursectomy	
Lazin Germawi, BSc, Ritsaart F. Westenberg, MD, Frederick Wang, MD, Niels W.L. Schep, MD, PhD, MSc, Neal C. Chen, MD, and Kyle R. Eberlin, MD, Boston, MA, USA; and Rotterdam, The Netherlands	1135
Does sonography allow an objective and reproducible distinction between stable, hypermobile, and unstable elbow joints?	
Stephanie Kirschbaum, MD, Fabian Plachel, MD, PhD, Maximilian Kerschbaum, MD, Christian Gerhard, MD, and Kathi Thiele, MD, Berlin, Regensburg, and Karlsruhe, Germany	1142

Continued on Page 9A

CONTENTS

CONTINUED

Utility of a 3-dimensionally printed color-coded bone model to visualize impinging osteophytes for arthroscopic débridement arthroplasty in elbow osteoarthritis
Atsuo Shigi, MD, Kunihiko Oka, MD, Hiroyuki Tanaka, MD, Ryoya Shiode, MD, and Tsuyoshi Murase, MD, Osaka and Suita, Japan 1152

BASIC SCIENCE

Increasing incidence of primary reverse and anatomic total shoulder arthroplasty in the United States
Matthew J. Best, MD, Keith T. Aziz, MD, John H. Wilckens, MD, Edward G. McFarland, MD, and Uma Srikumaran, MD, Baltimore, MD, USA 1159

Single Assessment Numeric Evaluation for instability as an alternative to the Rowe score
Alexandre Lädermann, MD, Patrick J. Denard, MD, Philippe Collin, MD, Mohamed Ibrahim, MD, Hugo Bothorel, MEng, and Joe Chih-Hao Chiu, MD, PhD, Meyrin and Geneva, Switzerland; Portland, OR, USA; Saint-Grégoire, France; Faiyum, Egypt; and Taoyuan, Taiwan 1167

Responsiveness of patient-reported outcomes in shoulder arthroplasty: what are we actually measuring?
Kevin J. Cronin, MD, MS, Justin A. Magnuson, BA, Meredith L. Murphy, BS, R. Zackary Unger, MD, Cale A. Jacobs, PhD, and Matthew H. Blake, MD, Lexington, KY; Sioux Falls, SD, USA 1174

Resiliency influences postoperative outcomes following rotator cuff repair
Ariel Porter, BS, Misti A. Hill, BSN, Richard Harm, MS, and R. Michael Greiwe, MD, Edgewood, KY, USA 1181

Effective stretching positions for the posterior shoulder capsule as determined by shear wave elastography
Naoya Iida, PT, PhD, Keigo Taniguchi, PT, PhD, Kota Watanabe, MD, PhD, Hiroki Miyamoto, PT, PhD, Tatsuya Taniguchi, PT, MSc, Atsushi Teramoto, MD, PhD, and Masaki Katayose, PT, PhD, Sapporo, Japan 1186

Biomechanical effectiveness of tendon transfers to restore active internal rotation in shoulder with deficient subscapularis with and without reverse shoulder arthroplasty
Jean-David Werthel, MD, Bradley S. Schoch, MD, Alex Hooke, MA, John W. Sperling, MD, Kai-Nan An, PhD, Philippe Valenti, MD, and Bassem Elhassan, MD, Boulogne-Billancourt and Paris, France; Jacksonville, FL; Rochester, MN, USA 1196

Glenoid baseplate screw fixation in reverse shoulder arthroplasty: does locking screw position and orientation matter?
Sejla Abdic, BSc, MD, Jason Lockhart, BSc, Naser Alnusif, MD, James A. Johnson, PhD, PEng, and George S. Athwal, MD, FRCSC, London, ON, Canada 1207

Tensioning device increases biomechanical stability of tuberosity fixation technique with cerclage sutures in reverse shoulder arthroplasty for fracture
Jonas Schmalz, MD, Marina Piepenbrink, MSc, Julian Buchner, MSc, Sebastian Picht, MD, Christian Gerhardt, MD, and Lars-Johannes Lehmann, Freiburg, Würzburg, Munich, and Heidelberg, Germany, 1214

Continued on Page 11A

CONTENTS

CONTINUED

ONLINE ARTICLES

The elbow plica: a systematic review of terminology and characteristics

Erica Kholinne, MD, PhD, Akriti Nanda, Hua Liu, MD, Jae-Man Kwak, MD, Hyojune Kim, MD, Kyoung-Hwan Koh, MD, PhD, and In-Ho Jeon, MD, PhD, Jakarta, Indonesia; Seoul, Republic of Korea; Oxford, UK; and Nantong, China e185

Degenerative changes in the elbow joint after radial head excision for fracture: quantitative 3-dimensional analysis of bone density, stress distribution, and bone morphology

Satoshi Miyamura, MD, PhD, Jonathan Lans, MD, Tsuyoshi Murase, MD, PhD, Kunihiro Oka, MD, PhD, and Neal C. Chen, MD, Boston, MA, USA; and Suita, Japan e199

Associations of preoperative patient mental health status and sociodemographic and clinical characteristics with baseline pain, function, and satisfaction in patients undergoing primary shoulder arthroplasty

Sambit Sahoo, MD, PhD, Kathleen A. Derwin, PhD, Alexander Zajichek, MS, Cleveland Clinic Shoulder Group, Vahid Entezari, MD, MMSc, Peter B. Imrey, PhD, Joseph P. Iannotti, MD, PhD, and Eric T. Ricchetti, MD, Cleveland, OH, USA e212

Using machine learning to predict clinical outcomes after shoulder arthroplasty with a minimal feature set

Vikas Kumar, PhD, Christopher Roche, MSE, MBA, Steven Overman, MD, MPH, Ryan Simovitch, MD, Pierre-Henri Flurin, MD, Thomas Wright, MD, Joseph Zuckerman, MD, Howard Routman, DO, and Ankur Teredesai, PhD, Seattle, WA; Gainesville, West Palm Beach and Palm Beach Gardens, FL, and New York, NY, USA; and Merignac, France e225

Exploring expert variability in defining pseudoparalysis: an international survey

Curtis J. Fahey, MB BCh BAO, MScPT, BSc(Hons), and Ruth A. Delaney, FRCS(Tr&Orth), MB BCh BAO, MMedSc(Sports Med), FFSEM, Cork and Dublin, Ireland e237

Players' perspectives on successfully returning to professional baseball after medial ulnar collateral ligament reconstruction

Christopher L. Camp, MD, Andrew R. Jensen, MD, MBE, Devin P. Leland, MD, Nancy Flynn, ATC, Jeff Lahti, DPT, and Stan Conte, PT, DPT, ATC, Rochester and Minneapolis, MN; Santa Clara, CA, USA e245

Venous thromboembolism after arthroscopic rotator cuff repair in a patient with a negative presurgical SARS-CoV-2 test who developed symptomatic COVID-19 three days after surgery

Aakash Chauhan, MD, MBA, Diego Villacis, MD, Ryan Boente, MD, and Anthony A. Romeo, MD, Naperville, IL; Indianapolis, IN, USA e251

Letter to the editor regarding Barlow et al: "Locking plate fixation of proximal humerus fractures in patients older than 60 years continues to be associated with a high complication rate"

Leanne S. Blaas, MD, Charlotte M. Lameijer, MD, PhD, and Robert Jan Derksen, MD, PhD, MSc, Amsterdam and Zaandam, The Netherlands e256

Continued on Page 13A

CONTENTS

CONTINUED

Response to Letter to the Editor regarding Barlow et al: "Locking plate fixation of proximal humerus fractures in patients older than 60 years continues to be associated with a high complication rate"

Jonathan D. Barlow, MD, Anthony L. Logli, MD, Scott P. Steinmann, MD, Stephen A. Sems, MD, William C. Cross, MD, Brandon J. Yuan, MD, Michael E. Torchia, MD, and Joaquin Sanchez-Sotelo, MD, PhD, Rochester, MN, USA e258

Erratum e260

READER SERVICES

Information for Readers 16A
Information for Authors 17A

Disclaimer

Practitioners and researchers must always rely on their own experience and knowledge in evaluating and using any information, methods, compounds or experiments described herein. Because of rapid advances in the medical sciences, in particular, independent verification of diagnoses and drug dosages should be made. To the fullest extent of the law, no responsibility is assumed by the American Shoulder and Elbow Surgeons for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions, or ideas contained in the material herein.